

Sun™ Small Programmable  
Object Technology (Sun SPOT)  
Release Notes  
*Release 2.0*

*Sun Labs*  
*April 2007*



**Sun Microsystems, Inc.**  
4150 Network Circle  
Santa Clara, CA 95045 U.S.A.  
650 960-1300

Part Number 820-2123-10  
Document Revision 1.0  
April 2007

Copyright 2007 Sun Microsystems, Inc. 4150 Network Circle, Santa Clara, California 95045 U.S.A. All rights reserved.

Sun Microsystems, Inc. has intellectual property rights relating to technology described in this document. In particular, and without limitation, these intellectual property rights may include one or more patents or pending patent applications in the U.S. or other countries.

This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution, and decompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Sun and its licensors, if any. Third-party software, including font technology, is copyrighted and licensed from Sun suppliers.

Parts of the product may be derived from Berkeley BSD systems, licensed from the University of California. UNIX is a registered trademark in the United States and other countries, exclusively licensed through X/Open Company, Ltd.

Sun, Sun Microsystems, the Sun logo, Java, J2EE, J2SE, JDK, JVM, Solaris, and Sun Fire are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. in the US and other countries. Products bearing SPARC trademarks are based upon an architecture developed by Sun Microsystems, Inc.

ORACLE is a registered trademark of Oracle Corporation.

The OPEN LOOK and Sun™ Graphical User Interface was developed by Sun Microsystems, Inc. for its users and licensees. Sun acknowledges the pioneering efforts of Xerox in researching and developing the concept of visual or graphical user interfaces for the computer industry. Sun holds a non-exclusive license from Xerox to the Xerox Graphical User Interface, which license also covers Sun's licensees who implement OPEN LOOK GUIs and otherwise comply with Sun's written license agreements.

U.S. Government Rights—Commercial use. Government users are subject to the Sun Microsystems, Inc. standard license agreement and applicable provisions of the FAR and its supplements.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Copyright 2006 Sun Microsystems, Inc., 4150 Network Circle, Santa Clara, California 95045 Etats-Unis. Tous droits réservés.

Ce produit ou document est protégé par un copyright et distribué avec des licences qui en restreignent l'utilisation, la copie, la distribution, et la décompilation. Aucune partie de ce produit ou document ne peut être reproduite sous aucune forme, par quelque moyen que ce soit, sans l'autorisation préalable et écrite de Sun et de ses bailleurs de licence, s'il y en a. Le logiciel détenu par des tiers, et qui comprend la technologie relative aux polices de caractères, est protégé par un copyright et licencié par des fournisseurs de Sun.

Des parties de ce produit pourront être dérivées des systèmes Berkeley BSD licenciés par l'Université de Californie. UNIX est une marque enregistrée aux Etats-Unis et dans d'autres pays et licenciée exclusivement par X/Open Company Ltd.

Sun, Sun Microsystems, le logo Sun, Java, J2EE, J2SE, JDK, JVM, Solaris, et Sun Fire sont des marques de fabrique ou des marques déposées, ou marques de service, de Sun Microsystems, Inc. aux Etats-Unis et dans d'autres pays. Toutes les marques SPARC sont utilisées sous licence et sont des marques de fabrique ou des marques déposées de SPARC International, Inc. aux Etats-Unis et dans d'autres pays. Les produits portant les marques SPARC sont basés sur une architecture développée par Sun Microsystems, Inc.

ORACLE est une marque déposée registre de Oracle Corporation.

L'interface d'utilisation graphique OPEN LOOK et Sun™ a été développée par Sun Microsystems, Inc. pour ses utilisateurs et licenciés. Sun reconnaît les efforts de pionniers de Xerox pour la recherche et le développement du concept des interfaces d'utilisation visuelle ou graphique pour l'industrie de l'informatique. Sun détient une licence non exclusive de Xerox sur l'interface d'utilisation graphique Xerox, cette licence couvrant également les licenciés de Sun qui mettent en place l'interface d'utilisation graphique OPEN LOOK et qui en outre se conforment aux licences écrites de Sun.

CETTE PUBLICATION EST FOURNIE "EN L'ETAT" ET AUCUNE GARANTIE, EXPRESSE OU IMPLICITE, N'EST ACCORDEE, Y COMPRIS DES GARANTIES CONCERNANT LA VALEUR MARCHANDE, L'APTITUDE DE LA PUBLICATION A REpondre A UNE UTILISATION PARTICULIERE, OU LE FAIT QU'ELLE NE SOIT PAS CONTREFAISANTE DE PRODUIT DE TIERS. CE DENI DE GARANTIE NE S'APPLIQUERAIT PAS, DANS LA MESURE OU IL SERAIT TENU JURIDIQUEMENT NUL ET NON AVENU.



Please  
Recycle



Adobe PostScript

# Sun™ Small Programmable Object Technology (Sun SPOT) Release Notes

---

These release notes accompany release 2.0 of the Sun SPOT system software.

## New features in Release 2.0

The release 2.0 of the Sun SPOT software contains both new features and bug fixes. The most significant new features are:

- Output sent to `System.out` on remote SPOTs can now be redirected to be the host workstation using the radio.
- The Sun SPOT development software now supports Intel-based Macs as host workstations.
- The power management software can, optionally, be asked to manage the radio's on/off state to improve power saving.
- Application programs can open and use radio connections to SPOTs that are out of immediate radio range, provided these can be reached via multiple hops through other Sun SPOTs (mesh networking). For details, see the `RadiostreamConnection` javadocs. The `RadioConnection` class is now deprecated.
- The port numbers for radio connections, if not specified, are now automatically assigned.
- The new class `com.sun.spot.peripheral.radio.IRadioPolicyManager`, should be used to set radio parameters like `panID`, `channel`, `power`, and so on.
- Radiograms can now be longer than the radio packet size. Please note that, when getting a radiogram packet, `conn.getMaximumLength` is now 1260 bytes or ten physical packets.

- The accelerometer API has been revised. It now includes methods to return the current acceleration in Gs, relative acceleration, and the inclination of each axis. It also includes methods to calibrate the accelerometer. See the AppNote in `[SDKdirectory]/doc/AppNotes/AccelerometerAppNote.pdf` for details.
- The SPOT operating environment now contains a resource management system which allows the construction of device drivers which mediate resource conflicts between multiple clients on the same SPOT. The current eDemo board drivers do not yet use this system.
- The host workstation environment can allow multiple host processes to access the same basestation and, through it, other SPOTs. This means that one basestation can now monitor multiple Sun SPOTs. See the Sun SPOT Developer's Guide for details.
- It is no longer necessary to explicitly initiate the basestation in host applications.
- Sun SPOTs have support for the Record Management System defined in the Java IM Profile. This allows simple record-based access to persistent storage in flash memory. See the javadocs on `RecordStore` and `RecordListener` for details.
- The digital I/O pins on the eDEMO board can now generate interrupts handled in Java. Previously, the pins needed to be polled.
- Squawk performance has been improved considerably.
- It is easier to create new or modified SPOT libraries. See the *Sun SPOT Developers' Guide* for details.
- The behavior of the power LED (to the left of the control button) has changed slightly. Previously, when the battery was low, the power LED would alternate between off and a dim red. Now a low battery is indicated by a steady dim red.
- Resetting the SPOT requires a slightly longer press of the control button. Now it requires a press of 120 milliseconds or longer.

## Optional Software

The following new, optional, software has been added to the release:

- SPOTManager monitors the system software available on the Sun SPOT web site and alerts developers when new software is available. It can download and install the new software on request. It also monitors the system software on specified Sun SPOTs and can download new versions to the Sun SPOTs on command.
- SpotWorld monitors the application software on all Sun SPOTs which are both within radio range and running its enabling software, Kami. SpotWorld allows for the SPOTs to be named and can control the application software on the Sun SPOTs under management.

In addition to these new features, approximately 180 bugs have been fixed.